New Zealand Public Health Surveillance Report Volume 8 Issue 3

References

Elevated mercury levels in a family

- 1. Cressey P, Thomson B, Vannoort R 2010. Mercury exposure of cases with elevated blood mercury. Unpublished report. Christchurch: Institute of Environmental Science and Research Limited.
- Joint FAO/WHO Expert Committee on Food Additives 2003. Evaluation of certain food additives and contaminants: Sixty-first report of the Joint FAO/WHO Expert Committee on Food Additives. Rome. Available: <u>http://whqlibdoc.who.int/trs/WHO_TRS_922.pdf</u> [accessed 2 August 2010].
- 3. Canterbury Health Laboratories. Mercury, Blood. Available: <u>http://www.labnet.co.nz/testmanager/index.php?fuseaction=main.DisplayTest&tes</u> <u>tid=326</u> [accessed 2 August 2010].
- 4. National Center for Health Statistics 2003. National Health and Nutrition Examination Survey. Hyattsville, MD: National Center for Health Statistics. Available: <u>http://www.cdc.gov/nchs/nhanes.htm</u> [accessed 2 August 2010].
- National Center for Environmental Assessment 2002. Integrated Risk Information System. Methylmercury (MeHg) (CASRN 22967-92-6). Washington, DC: Environmental Protection Agency. Available: <u>http://www.epa.gov/ncea/iris/subst/0073.htm</u> [accessed 2 August 2010].
- 6. Beasley M, National Poisons Centre, personal communication.
- 7. Hightower JM, Moore D 2003. Mercury levels in high-end consumers of fish. Environmental Health Perspectives 111:604-8.
- 8. Food Standards Australia New Zealand. Mercury in fish. Available: <u>http://www.foodstandards.gov.au/consumerinformation/adviceforpregnantwomen/</u> <u>mercuryinfish.cfm</u> [accessed 2 August 2010].

Outbreak of Clostridium perfringens gastroenteritis at an Auckland wedding, January 2010

- 1. Bates JR 1997. Clostridium perfringens. In: Foodborne Microorganisms of Public Health Significance (Hocking AD, et al. eds). Sydney: Australian Institute of Food Science and Technology Incorporated, 407-28.
- 2. Brynestad S, Granum PE 2002. *Clostridium perfringens* and foodborne infections. International Journal of Food Microbiology 74:195-202.
- 3. McClane BA 2003. *Clostridium perfringens*. In: International Handbook of Foodborne Pathogens (Millotis MD, Bier JW eds). Virginia: CRC Press.

An investigation into an increase in notified giardiasis cases in Waikato

- 1. Hoque E, Hope V, Scragg R, Baker M, Shrestha R 2004. A descriptive epidemiology of giardiasis in New Zealand and gaps in surveillance data. NZ Med J 117(1205):1149.
- 2. American Public Health Association 2008. Control of Communicable Diseases Manual. (Heymann DL ed.) 19th edition. Washington: American Public Health Association.
- 3. Craun GF, Calderon RL, Craun MF 2005. Outbreaks associated with recreational water in the United States. Int J Environ Health Res 15:243-62.
- 4. Daly ER, Roy SJ, Blaney DD, Manning JS, et al. 2010. Outbreak of giardiasis associated with a community drinking water supply. Epidemiol Infect 138:491-500.
- 5. Nygard K, Schimmer B, Sobstad O, Walde A, et al. 2006. A large community outbreak of waterborne giardiasis delayed detection in a non-endemic urban area. BMC Public Health 6:141.
- 6. Ang LH 2000. Outbreak of giardiasis in a day-care nursery. Commun Dis Public Health 3:212-3.
- 7. Hoque ME, Hope VT, Scragg R 2002. *Giardia* infection in Auckland and New Zealand: trends and international comparisons. NZ Med J 115:121-3.
- Population and Environmental Health Group 2010. Notifiable and other diseases in New Zealand: 2009 Annual Surveillance Report. Porirua: Institute of Environmental Science and Research Limited. Available: <u>www.surv.esr.cri.nz</u> [accessed 5 May 2010].

Surveillance of the zoonotic bacterial pathogen Salmonella in New Zealand

- Population and Environmental Health Group 2010. Notifiable and other diseases in New Zealand: 2009 Annual Surveillance Report. Porirua: Institute of Environmental Science and Research Limited. Available: <u>www.surv.esr.cri.nz</u> [accessed 2 August 2010].
- 2. Switt AIM, Soyer Y, Warnick LD, Wiedmann M 2009. Emergence, distribution, and molecular and phenotypic characteristics of *Salmonella enterica*, serotype 4,5,12:i:-. Foodborne Pathogens and Disease 6(4):407-15.
- Hopkins KL, Kirchner M, Guerra B, Granier SA, Lucarelli C, Porrero MC, Jakubczak A, Threlfall EJ, Mevius DJ 2010. Multiresistant *Salmonella enterica* serovar 4,[5],12:i:- in Europe: a new pandemic strain? Eurosurveillance 15(22):pii=19580. Available: <u>http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=19580</u> [accessed 2 August 2010].