


Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT (nucleic acid amplification testing) for gonorrhoea testing introduced in Q1 2012. Gonorrhoea rates are not presented as data were incomplete from Q2 2013.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	344	358	304	285	204	214	188	168
<i>Female</i>	276	280	229	219	156	172	146	131
<i>Male</i>	68	77	75	66	47	42	42	36
Tests per 100 000 population²	1911	1838	1849	1857	1418	1465	1475	1366

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	38	52	39	44	32	*	*	*
<i>Female</i>	25	29	27	26	18	*	*	*
<i>Male</i>	13	22	12	18	14	*	*	*
Tests per 100 000 population²	3122	3488	2678	2632	2826	*	*	*

¹Total includes cases where sex is not reported


²Denominator = Statistics New Zealand mid-year population estimates

AUCKLAND REGION

Auckland, Counties Manukau and Waitemata DHBs

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: Routine use of NAAT for gonorrhoea testing introduced by LabPlus in April 2011 and Labtests in March 2012. Data not received from Waitemata DHB since Q1 2013.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	2809	2875	2678	2395	2563	2497	2499	2234
<i>Female</i>	2074	2046	1922	1728	1751	1740	1768	1539
<i>Male</i>	734	818	752	667	811	755	731	693
Tests per 100 000 population²	2488	2469	2486	2337	2433	2476	2591	2400

¹Total includes cases where sex is not reported²Denominator = Statistics New Zealand mid-year population estimates


Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	386	392	544	461	400	464	404	328
<i>Female</i>	159	202	290	239	179	183	163	136
<i>Male</i>	226	190	245	221	221	280	241	191
Tests per 100 000 population²	3895	3714	3576	2506	2780	2839	2918	2685

¹Total includes cases where sex is not reported²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT (nucleic acid amplification testing) for gonorrhoea testing introduced in Q4 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	748	687	677	581	612	697	707	617
<i>Female</i>	559	517	481	444	457	495	518	422
<i>Male</i>	189	170	192	136	155	202	189	194
Tests per 100 000 population²	2039	1953	2011	1849	1996	2013	2178	1972

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	46	39	54	46	70	80	82	74
<i>Female</i>	15	18	27	23	41	48	45	46
<i>Male</i>	31	21	27	23	29	32	37	28
Tests per 100 000 population²	1836	1720	1800	2092	2649	2597	2919	2524

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT Gonorrhoea testing introduced for Pathlab Rotorua 1 July 2013.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	340	360	350	341	329	337	310	277
<i>Female</i>	262	288	271	260	257	252	236	210
<i>Male</i>	78	71	79	81	72	85	74	66
Tests per 100 000 population²	2901	2697	2806	2632	2835	2905	2831	2630

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	30	29	20	25	29	31	46	39
<i>Female</i>	15	8	9	8	14	16	27	23
<i>Male</i>	15	21	11	17	15	15	19	16
Tests per 100 000 population²	2354	2150	2176	1925	2096	2112	3081	2718

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT (nucleic acid amplification testing) for gonorrhoea testing introduced in Q3 2013.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	416	403	383	394	360	366	407	347
<i>Female</i>	297	286	270	267	274	276	296	248
<i>Male</i>	109	103	110	95	74	82	107	99
Tests per 100 000 population²	2151	2010	2052	2013	1938	1984	2036	2011

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	25	35	19	18	39	39	39	28
<i>Female</i>	7	15	5	7	17	12	22	20
<i>Male</i>	18	20	14	11	17	18	13	8
Tests per 100 000 population²	1595	1518	1518	1464	1379	1399	2020	2162

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT (nucleic acid amplification testing) for gonorrhoea testing introduced in Q4 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	194	171	151	116	176	165	170	173
<i>Female</i>	147	129	113	77	126	119	124	134
<i>Male</i>	46	42	38	39	49	46	46	39
Tests per 100 000 population²	2573	2528	2491	2451	2517	2419	2524	2479

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	55	53	44	39	56	54	31	46
<i>Female</i>	24	25	21	17	26	28	20	27
<i>Male</i>	31	28	23	22	29	26	11	19
Tests per 100 000 population²	2265	2316	2459	2553	2372	2389	2498	2353

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates are not presented as there are fewer than five cases in some quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	170	148	162	175	150	135	157	121
<i>Female</i>	129	112	118	126	116	103	118	80
<i>Male</i>	41	36	44	49	33	32	39	41
Tests per 100 000 population²	2257	2119	2154	2118	2088	1998	2143	2020

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	12	6	3	5	2	3	0	0
<i>Female</i>	5	3	3	2	0	2	0	0
<i>Male</i>	7	3	0	3	2	1	0	0
Tests per 100 000 population²	2542	2486	2503	2522	2476	2370	2566	2408

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	396	374	383	336	334	328	340	319
Female	303	295	293	254	251	254	262	237
Male	93	79	90	82	82	74	78	82
Tests per 100 000 population²	1997	1856	1949	1849	1914	1936	2071	1923

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	89	68	52	61	92	62	49	40
Female	52	37	33	42	55	36	30	22
Male	37	31	19	19	37	26	19	18
Tests per 100 000 population²	1997	1856	1949	1849	2390	2382	2497	2309

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates are not presented as there are fewer than five cases in some quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	135	119	141	127	102	119	94	89
<i>Female</i>	86	86	104	92	79	95	67	63
<i>Male</i>	48	33	35	35	23	24	27	26
Tests per 100 000 population²	1736	1578	1800	1591	1608	1584	1634	1539

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	12	12	8	6	8	5	2	8
<i>Female</i>	4	3	1	1	3	1	0	4
<i>Male</i>	8	9	7	5	5	4	2	4
Tests per 100 000 population²	1053	1091	1205	1043	1082	1035	1039	952

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	317	270	235	258	284	300	255	205
Female	222	198	164	170	197	220	177	146
Male	93	71	71	86	87	80	78	58
Tests per 100 000 population²	1730	1593	1678	1685	1680	1759	1743	1570

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	17	23	20	8	11	12	14	14
Female	7	8	9	3	4	6	5	4
Male	10	15	11	5	7	6	9	10
Tests per 100 000 population²	1501	1371	1423	1459	1448	1480	1460	1281

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates are not presented as there are fewer than five cases in many quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	52	65	65	47	64	42	60	58
<i>Female</i>	42	51	55	39	48	32	49	46
<i>Male</i>	10	14	10	8	16	10	11	12
Tests per 100 000 population²	1383	1314	1457	1356	1467	1327	1524	1482

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	4	3	3	4	6	0	3	3
<i>Female</i>	3	1	3	1	3	0	2	2
<i>Male</i>	1	2	0	3	3	0	1	1
Tests per 100 000 population²	1078	918	1063	1026	1100	906	1090	1048

¹Total includes cases where sex is not reported


²Denominator = Statistics New Zealand mid-year population estimates

WELLINGTON REGION

Capital and Coast and Hutt Valley DHBs

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Chlamydia data only available from Q3 2012. NAAT (nucleic acid amplification testing) for gonorrhoea testing introduced during Q2 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	-	-	618	560	611	661	695	646
<i>Female</i>	-	-	435	387	430	461	476	454
<i>Male</i>	-	-	180	171	177	193	215	189
Tests per 100 000 population²	-	-	2347	2179	2280	2280	2449	2335

¹Total includes cases where sex is not reported²Denominator = Statistics New Zealand mid-year population estimates


Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	60	46	57	43	72	55	66	69
<i>Female</i>	21	23	30	16	36	29	30	22
<i>Male</i>	39	23	26	27	36	25	36	47
Tests per 100 000 population²	1755	2060	2339	2173	2274	2276	2429	2242

¹Total includes cases where sex is not reported²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Data only available for Nelson Marlborough DHB from Q3 2012. Gonorrhoea rates are not presented as there are fewer than five cases in many quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	-	-	197	169	180	165	162	140
<i>Female</i>	-	-	143	119	133	122	111	99
<i>Male</i>	-	-	54	49	47	43	51	41
Tests per 100 000 population²	-	-	527	1631	1726	1617	1684	1525

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	-	-	13	10	1	7	4	5
<i>Female</i>	-	-	8	3	1	1	2	1
<i>Male</i>	-	-	5	7	0	6	2	4
Tests per 100 000 population²	-	-	527	1631	3487	3279	3332	3060

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Gonorrhoea rates are not presented as there are fewer than five cases in all quarters.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	44	44	40	28	45	37	40	28
<i>Female</i>	35	30	30	14	29	31	32	16
<i>Male</i>	9	14	10	14	15	5	7	12
Tests per 100 000 population²	1517	1748	1526	1052	1821	1751	1629	1456

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	0	1	1	2	2	3	1	1
<i>Female</i>	0	0	0	0	1	2	1	0
<i>Male</i>	0	1	1	2	1	1	0	1
Tests per 100 000 population²	1964	2201	1891	1550	1824	1751	1629	1456

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Data from all labs in Canterbury DHB only available from Q3 2012.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	-	-	697	623	686	635	674	606
<i>Female</i>	-	-	480	438	457	429	460	424
<i>Male</i>	-	-	217	185	227	205	213	182
Tests per 100 000 population²	-	-	1987	1916	2091	2124	2137	2004

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	-	-	44	57	62	72	50	58
<i>Female</i>	-	-	25	32	29	43	28	21
<i>Male</i>	-	-	19	25	30	29	21	36
Tests per 100 000 population²	-	-	1987	1916	2702	3049	3035	2724

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. Data only available for South Canterbury DHB from Q3 2012. Gonorrhoea rates are not presented as there are fewer than five cases in the quarter.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	-	-	56	88	76	74	56	66
<i>Female</i>	-	-	40	64	55	55	37	52
<i>Male</i>	-	-	12	18	12	15	19	12
Tests per 100 000 population²	-	-	377	1422	1485	1263	1363	1501

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	-	-	3	2	1	2	2	2
<i>Female</i>	-	-	1	1	1	0	1	1
<i>Male</i>	-	-	2	1	0	2	1	0
Tests per 100 000 population²	-	-	377	1422	1485	1406	1752	1959

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	566	521	455	476	448	496	495	421
Female	400	382	321	332	326	359	322	299
Male	164	134	129	144	118	136	171	121
Tests per 100 000 population²	2353	2235	2302	2172	2213	2378	2483	2183

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013


	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	36	53	35	34	30	19	24	19
Female	17	28	23	21	14	11	11	8
Male	19	19	12	13	11	8	12	9
Tests per 100 000 population²	2360	2234	2302	2172	2305	2464	2565	2246

¹Total includes cases where sex is not reported

²Denominator = Statistics New Zealand mid-year population estimates

Laboratory surveillance of chlamydia and gonorrhoea: October - December 2013

Quarterly chlamydia and gonorrhoea rates (female, male and total population), Jan 2012 to Dec 2013



Denominator = Statistics New Zealand mid-year population estimates

Note: New data processing procedures from Q1 2013 may have impacted slightly on the counts and rates produced. NAAT (nucleic acid amplification testing) for gonorrhoea has been introduced in some laboratories since Q4 2011. Refer to DHB level reports for further details. Data incomplete from Q2 2013 for Northland DHB. Data not received from Waitemata DHB since Q1 2013. Data not available for NMDHB and SCDHB before Q3 2012 and testing data incomplete for Q3 NMDHB and SCDHB.

Number of lab confirmed chlamydia cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	6883	6847	7592	6999	7224	7268	7309	6515
<i>Female</i>	5075	5008	5469	5030	5142	5215	5199	4600
<i>Male</i>	1791	1806	2098	1925	2045	2029	2098	1903
Tests per 100 000 population²	1904	1884	2154	2086	2163	2192	2286	2124

¹Total includes cases where sex is not reported²Denominator = Statistics New Zealand mid-year population estimates

Number of lab confirmed gonorrhoea cases (female, male and total population) and number of tests per 100 000 population, January 2012 to December 2013

	Q1 2012	Q2 2012	Q3 2012	Q4 2012	Q1 2013	Q2 2013	Q3 2013	Q4 2013
Number of lab-confirmed cases¹	829	843	959	865	913	932	830	748
<i>Female</i>	359	414	515	442	442	429	397	347
<i>Male</i>	469	422	434	422	457	492	427	396
Tests per 100 000 population²	2560	2536	2489	2145	2479	2498	2639	2414

¹Total includes cases where sex is not reported²Denominator = Statistics New Zealand mid-year population estimates