


## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	114	51	103	107	103	91	87	83
Gonorrhoea	20	12	16	13	4	7	15	19
Genital herpes (first presentation)	7	3	12	7	12	8	10	3
Genital warts (first presentation)	15	17	20	20	19	15	14	12
Infectious syphilis	2	0	2	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	376	350	438	379	375	313	409	393
Gonorrhoea	69	80	82	78	78	79	81	79
Genital herpes (first presentation)	47	39	47	49	53	49	59	41
Genital warts (first presentation)	230	210	222	187	198	172	213	196
Infectious syphilis	17	13	14	11	9	10	11	4
Non-specific urethritis	105	94	68	86	66	79	80	73

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	140	113	165	179	155	134	159	133
Gonorrhoea	22	16	32	23	10	16	20	19
Genital herpes (first presentation)	38	24	30	41	39	19	18	22
Genital warts (first presentation)	77	81	88	78	75	55	68	61
Infectious syphilis	0	1	2	0	1	0	1	0
Non-specific urethritis	8	22	14	13	8	11	11	17

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	44	53	44	57	62	62	53	56
Gonorrhoea	1	3	3	5	6	6	3	8
Genital herpes (first presentation)	1	4	3	3	2	5	1	4
Genital warts (first presentation)	13	12	12	21	15	14	18	10
Infectious syphilis	2	1	0	0	0	0	0	1
Non-specific urethritis	0	0	0	1	1	0	0	0

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	166	206	185	209	193	164	188	145
Gonorrhoea	10	26	26	16	13	11	6	15
Genital herpes (first presentation)	25	19	26	33	17	23	22	31
Genital warts (first presentation)	77	64	54	48	57	54	48	39
Infectious syphilis	2	0	1	2	1	3	0	0
Non-specific urethritis	11	20	21	9	11	18	15	12

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	53	59	56	50	58	52	55	59
Gonorrhoea	3	22	12	8	5	4	16	14
Genital herpes (first presentation)	0	0	0	0	0	0	0	0
Genital warts (first presentation)	0	0	0	0	0	0	0	0
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	49	28	77	51	64	49	31	32
Gonorrhoea	11	8	17	3	24	9	6	1
Genital herpes (first presentation)	19	13	18	14	17	20	7	17
Genital warts (first presentation)	24	12	31	11	24	32	18	19
Infectious syphilis	0	0	0	0	0	1	1	0
Non-specific urethritis	17	8	5	7	8	2	7	4

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Note: From Quarter 2 2012, Hawke's Bay are reporting only cases seen in their secondary sexual health clinics. Prior to this, cases seen under contract in the primary care setting were also included.


Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	64	81	95	46	71	57	56	1
Gonorrhoea	15	7	12	7	3	2	14	0
Genital herpes (first presentation)	8	6	6	3	2	3	1	2
Genital warts (first presentation)	11	27	29	10	9	6	9	14
Infectious syphilis	0	0	1	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0



## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	0	11	16	15	8	3	7	4
Gonorrhoea	11	6	0	5	7	1	1	0
Genital herpes (first presentation)	2	6	3	1	1	1	1	1
Genital warts (first presentation)	2	3	2	2	1	4	1	1
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter


Note: Case counts reported by the Palmerston North SHC in 2010 may not correctly represent the number of cases seen. 2011 counts have been updated since the Jan-Mar 2012 quarterly report. This is due to local database issues.

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	75	8	82	64	46	48	53	36
Gonorrhoea	11	2	19	8	8	9	8	10
Genital herpes (first presentation)	13	9	3	10	13	13	7	7
Genital warts (first presentation)	34	18	23	15	25	20	18	13
Infectious syphilis	0	1	0	0	1	1	1	0
Non-specific urethritis	20	10	7	0	10	6	6	6

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	4	2	9	5	4	4	9	2
Gonorrhoea	1	0	0	1	0	0	2	1
Genital herpes (first presentation)	0	1	2	1	2	2	0	0
Genital warts (first presentation)	4	1	11	10	13	9	5	4
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	1	1	3	3	2	0	0	2

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	44	56	59	61	61	49	67	38
Gonorrhoea	9	9	16	7	2	3	15	8
Genital herpes (first presentation)	22	13	17	16	18	9	14	14
Genital warts (first presentation)	53	49	73	67	58	56	57	57
Infectious syphilis	3	3	5	6	2	1	2	3
Non-specific urethritis	17	11	21	9	14	23	19	19

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	16	23	35	29	18	17	21	20
Gonorrhoea	6	7	2	7	1	2	6	1
Genital herpes (first presentation)	16	7	7	11	9	9	9	17
Genital warts (first presentation)	40	38	36	42	41	33	30	27
Infectious syphilis	1	1	0	2	1	1	0	0
Non-specific urethritis	3	2	4	6	7	3	1	3

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	19	18	10	9	17	5	15	17
Gonorrhoea	3	1	2	3	1	0	0	1
Genital herpes (first presentation)	0	2	4	4	3	4	3	4
Genital warts (first presentation)	11	6	3	7	9	9	2	6
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	0	1	0	3	2	1	2	0

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter


Note: Data was not received from the Ashburton SHC for February 2012. This clinic sees only a small number of STI cases each month; in 2011, an average of 2.3 STI cases were seen each month.

## Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	54	79	45	47	61	64	56	57
Gonorrhoea	8	5	7	10	7	3	7	11
Genital herpes (first presentation)	27	25	20	13	22	16	27	18
Genital warts (first presentation)	51	66	42	34	50	50	58	58
Infectious syphilis	3	1	0	3	0	0	4	8
Non-specific urethritis	12	8	11	9	12	20	24	14

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter


Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	11	2	6	10	4	8	9	4
Gonorrhoea	0	0	0	3	0	1	0	0
Genital herpes (first presentation)	1	4	3	1	2	6	4	4
Genital warts (first presentation)	2	4	0	3	7	0	4	2
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	1



## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	60	47	41	61	97	58	60	65
Gonorrhoea	7	4	10	5	10	6	3	7
Genital herpes (first presentation)	18	17	10	23	18	19	14	10
Genital warts (first presentation)	38	47	45	45	34	38	35	25
Infectious syphilis	0	0	0	2	0	0	0	0
Non-specific urethritis	7	8	1	2	1	2	2	3

## Sexual health clinic (SHC) surveillance of STIs: April-June 2012

Quarterly case counts in participating SHCs by disease, July 2010 to June 2012



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Note: Data was not received from the Ashburton SHC for February 2012. This clinic sees only a small number of STI cases each month; in 2011, an average of 2.3 STI cases were seen each month.

From Quarter 2 2012, Hawke's Bay are reporting only cases seen in their secondary sexual health clinics. Prior to this, cases seen under contract in the primary care setting were also included.

### Quarterly case counts in participating SHCs by disease, July 2010 to June 2012

	Q3 2010	Q4 2010	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012
Chlamydia	1289	1187	1466	1379	1397	1178	1335	1145
Gonorrhoea	207	208	256	202	179	159	203	194
Genital herpes (first presentation)	244	192	211	230	230	206	197	195
Genital warts (first presentation)	682	655	691	600	635	567	598	544
Infectious syphilis	30	21	25	26	15	17	20	16
Non-specific urethritis	201	185	155	148	142	165	167	154