


Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012


	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	103	107	103	91	87	83	79	80
Gonorrhoea	16	13	4	7	15	19	16	14
Genital herpes (first presentation)	12	7	12	8	10	3	5	5
Genital warts (first presentation)	20	20	19	15	14	12	5	4
Infectious syphilis	2	0	0	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0

AUCKLAND REGION

Clinics in Auckland, Counties Manukau and Waitemata DHBs

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	438	379	375	313	409	393	388	361
Gonorrhoea	82	78	78	79	81	79	98	55
Genital herpes (first presentation)	47	49	53	49	59	41	61	46
Genital warts (first presentation)	222	187	198	172	213	196	219	179
Infectious syphilis	14	11	9	10	11	4	11	7
Non-specific urethritis	68	86	66	79	80	73	65	83

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	165	179	155	134	159	133	117	124
Gonorrhoea	32	23	10	16	20	19	20	16
Genital herpes (first presentation)	30	41	39	19	18	22	24	17
Genital warts (first presentation)	88	78	75	55	68	61	74	52
Infectious syphilis	2	0	1	0	1	0	1	1
Non-specific urethritis	14	13	8	11	11	17	18	12

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	44	57	62	62	53	56	76	64
Gonorrhoea	3	5	6	6	3	8	4	8
Genital herpes (first presentation)	3	3	2	5	1	4	9	4
Genital warts (first presentation)	12	21	15	14	18	10	15	10
Infectious syphilis	0	0	0	0	0	1	0	0
Non-specific urethritis	0	1	1	0	0	0	0	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	185	209	193	164	188	145	165	179
Gonorrhoea	26	16	13	11	6	15	10	14
Genital herpes (first presentation)	26	33	17	23	22	31	21	13
Genital warts (first presentation)	54	48	57	54	48	39	37	49
Infectious syphilis	1	2	1	3	0	0	3	0
Non-specific urethritis	21	9	11	18	15	12	13	13

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	56	50	58	52	55	59	43	34
Gonorrhoea	12	8	5	4	16	14	5	8
Genital herpes (first presentation)	0	0	0	0	0	0	0	0
Genital warts (first presentation)	0	0	0	0	0	0	0	0
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	77	51	64	49	31	32	38	43
Gonorrhoea	17	3	24	9	6	1	0	2
Genital herpes (first presentation)	18	14	17	20	7	17	18	15
Genital warts (first presentation)	31	11	24	32	18	19	14	21
Infectious syphilis	0	0	0	1	1	0	0	0
Non-specific urethritis	5	7	8	2	7	4	6	10

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter


Note: From Quarter 2 2012, Hawke's Bay are reporting only cases seen in their secondary sexual health clinics. Prior to this, cases seen under contract in the primary care setting were also included.

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	95	46	71	57	56	1	9	13
Gonorrhoea	12	7	3	2	14	0	0	10
Genital herpes (first presentation)	6	3	2	3	1	2	3	1
Genital warts (first presentation)	29	10	9	6	9	14	9	10
Infectious syphilis	1	0	0	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	16	15	8	3	7	4	13	10
Gonorrhoea	0	5	7	1	1	0	1	1
Genital herpes (first presentation)	3	1	1	1	1	1	2	1
Genital warts (first presentation)	2	2	1	4	1	1	1	2
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	0	0	0	0	0	0	0	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	82	64	46	48	53	36	42	52
Gonorrhoea	19	8	8	9	8	10	8	2
Genital herpes (first presentation)	3	10	13	13	7	7	9	18
Genital warts (first presentation)	23	15	25	20	18	13	11	16
Infectious syphilis	0	0	1	1	1	0	0	1
Non-specific urethritis	7	0	10	6	6	6	4	4

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	9	5	4	4	9	2	1	2
Gonorrhoea	0	1	0	0	2	1	0	0
Genital herpes (first presentation)	2	1	2	2	0	0	0	0
Genital warts (first presentation)	11	10	13	9	5	4	8	10
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	3	3	2	0	0	2	2	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	59	61	61	49	67	38	56	66
Gonorrhoea	16	7	2	3	15	8	12	12
Genital herpes (first presentation)	17	16	18	9	14	14	19	18
Genital warts (first presentation)	73	67	58	56	57	57	62	54
Infectious syphilis	5	6	2	1	2	3	2	0
Non-specific urethritis	21	9	14	23	19	19	19	26

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	35	29	18	17	21	20	17	16
Gonorrhoea	2	7	1	2	6	1	2	2
Genital herpes (first presentation)	7	11	9	9	9	17	14	8
Genital warts (first presentation)	36	42	41	33	30	27	16	25
Infectious syphilis	0	2	1	1	0	0	0	1
Non-specific urethritis	4	6	7	3	1	3	5	4

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	10	9	17	5	15	17	13	9
Gonorrhoea	2	3	1	0	0	1	0	1
Genital herpes (first presentation)	4	4	3	4	3	4	5	6
Genital warts (first presentation)	3	7	9	9	2	6	9	3
Infectious syphilis	0	0	0	0	0	0	0	0
Non-specific urethritis	0	3	2	1	2	0	1	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter


Note: Data was not received from the Ashburton SHC for January 2012. This clinic sees only a small number of STI cases each month; in 2011, an average of 2.3 STI cases were seen each month.

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	45	47	61	64	56	57	84	79
Gonorrhoea	7	10	7	3	7	11	15	18
Genital herpes (first presentation)	20	13	22	16	27	18	25	27
Genital warts (first presentation)	42	34	50	50	60	58	56	40
Infectious syphilis	0	3	0	0	9	9	10	0
Non-specific urethritis	11	9	12	20	24	14	17	23

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	6	10	4	8	9	4	6	9
Gonorrhoea	0	3	0	1	0	0	2	0
Genital herpes (first presentation)	3	1	2	6	4	4	1	4
Genital warts (first presentation)	0	3	7	0	4	2	1	4
Infectious syphilis	0	0	0	0	0	0	1	0
Non-specific urethritis	0	0	0	0	0	1	3	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012




No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	41	61	97	58	60	65	54	47
Gonorrhoea	10	5	10	6	3	7	11	4
Genital herpes (first presentation)	10	23	18	19	14	10	19	20
Genital warts (first presentation)	45	45	34	38	35	25	30	41
Infectious syphilis	0	2	0	0	0	0	0	0
Non-specific urethritis	1	2	1	2	2	3	3	0

Sexual health clinic (SHC) surveillance of STIs: October-December 2012

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012



No cases of chancroid, granuloma inguinale or lymphogranuloma venereum were reported during the last quarter

Note: Data was not received from the Ashburton SHC for January 2012. This clinic sees only a small number of STI cases month; in 2011, an average of 2.3 STI cases were seen each month. From Quarter 2 2012, Hawke's Bay are reporting only cases in their secondary sexual health clinics. Prior to this, cases seen under contract in the primary care setting were also included.

Quarterly case counts in participating SHCs by disease, January 2011 to December 2012

	Q1 2011	Q2 2011	Q3 2011	Q4 2011	Q1 2012	Q2 2012	Q3 2012	Q4 2012
Chlamydia	1466	1379	1397	1178	1335	1145	1201	1188
Gonorrhoea	256	202	179	159	203	194	204	167
Genital herpes (first presentation)	211	230	230	206	197	195	235	203
Genital warts (first presentation)	691	600	635	567	600	544	567	520
Infectious syphilis	25	26	15	17	25	17	28	10
Non-specific urethritis	155	148	142	165	167	154	156	175