

National surveillance data - January 2006

Disease ¹	Current year - 2006 ²			Previous year - 2005		
	Jan 2006 cases	Cumulative total since 1 January	Current rate ³	Jan 2005 cases	Cumulative total since 1 January	Previous rate ³
AIDS ⁴	3	3	1.3	3	3	1.0
Campylobacteriosis	1621	1621	377.5	1351	1351	323.0
Cryptosporidiosis	43	43	24.6	13	13	16.3
Dengue fever	1	1	0.3	1	1	0.2
Gastroenteritis ⁵	63	63	14.5	77	77	35.4
Giardiasis	99	99	33.4	78	78	38.8
<i>H. influenzae</i> type b disease	0	0	0.2	0	0	0.1
Hepatitis A	33	33	2.1	4	4	1.3
Hepatitis B (acute) ⁶	8	8	1.7	5	5	1.1
Hepatitis C (acute) ⁶	3	3	0.8	3	3	0.7
Hydatid disease	0	0	0.1	0	0	0
Influenza ⁶	1	1	22.5	1	1	23.7
Lead absorption	11	11	2.1	3	3	2.4
Legionellosis	3	3	2.2	8	8	1.8
Leprosy	1	1	0.1	1	1	0.1
Leptospirosis	8	8	2.3	7	7	2.7
Listeriosis	6	6	0.6	3	3	0.7
Malaria	2	2	0.8	4	4	0.9
Measles	1	1	0.6	0	0	0.7
Meningococcal disease ⁸	8	8	5.8	20	20	9.2
Mumps	2	2	1.6	3	3	1.2
Paratyphoid fever	2	2	0.6	3	3	0.8
Pertussis	137	137	65.2	422	422	101.7
Rheumatic fever	14	14	2.4	2	2	2.0
Rickettsial disease	0	0	0	0	0	0.1
Rubella	0	0	0.3	0	0	0.5
Salmonellosis	146	146	38.7	84	84	27.3
SARS	0	0	0	0	0	0
Shigellosis	17	17	5.1	8	8	3.6
Tetanus	0	0	0	0	0	0
Tuberculosis	23	23	9.4	24	24	10.1
Typhoid fever	6	6	0.9	4	4	0.9
VTEC / STEC infection	8	8	2.6	3	3	2.1
Yersiniosis	43	43	11.0	40	40	10.6

Notes: ¹ Other notifiable infectious diseases reported in January : Lyme Disease

² These data are provisional.

³ Rate is based on the cumulative total for the current year (12 months up to and including January 2006) or the previous year (12 months up to and including January 2005), expressed as cases per 100 000

⁴ All Aids data is provisional. Further information is available from the Aids Epidemiology Unit, University of Otago.

⁵ Cases of gastroenteritis from a common source or foodborne intoxication. Eg: staphylococcal intoxication

⁶ Only acute cases of this disease are currently notifiable

⁷ Surveillance data based on laboratory-reported cases only (as reported in ESR's Virology Weekly Reports)

⁸ These totals and rates are based on the EpiSurv report date as opposed to the earliest available date used in the meningococcal disease section