

## National surveillance data - November 2006

Disease <sup>1</sup>	Current year - 2006 <sup>2</sup>			Previous year - 2005		
	Nov 2006 cases	Cumulative total since 1 January	Current 12-month rate <sup>3</sup>	Nov 2005 cases	Cumulative total since 1 January	Previous 12-month rate <sup>3</sup>
AIDS <sup>4</sup>	4	28	0.8	1	46	1.4
Campylobacteriosis	1639	14354	427.2	1666	12226	364.3
Cryptosporidiosis	87	699	19.4	107	863	23.6
Dengue fever	2	16	0.5	0	10	0.3
Gastroenteritis <sup>5</sup>	33	865	23.6	43	539	16.6
Giardiasis	95	1133	33.2	98	1125	33.1
<i>H. influenzae</i> type b disease	0	9	0.2	0	7	0.2
Hepatitis A	5	119	3.4	7	44	1.3
Hepatitis B (acute) <sup>6</sup>	10	63	1.9	4	51	1.4
Hepatitis C (acute) <sup>6</sup>	2	33	0.9	2	27	0.7
Hydatid disease	0	0	0	1	2	0.1
Influenza <sup>7</sup>	1	762	20.5	3	838	22.4
Lead absorption	6	76	2.2	4	65	1.9
Legionellosis	5	49	1.6	5	76	2.1
Leprosy	0	3	0.1	0	1	0
Leptospirosis	9	86	2.4	2	80	2.3
Listeriosis	2	16	0.5	3	17	0.5
Malaria	1	28	0.8	2	31	0.9
Measles	0	19	0.5	3	19	0.7
Meningococcal disease <sup>8</sup>	15	145	4.2	17	215	6.2
Mumps	7	42	1.2	5	59	1.7
Paratyphoid fever	2	20	0.6	0	24	0.6
Pertussis	68	1092	33.8	216	2546	82.5
Rheumatic fever	7	101	2.8	6	74	2.1
Rickettsial disease	0	7	0.2	0	1	0
Rubella	1	10	0.3	1	13	0.4
Salmonellosis	98	1236	36.3	131	1263	35.9
SARS	0	0	0	0	0	0
Shigellosis	8	94	2.9	53	167	4.8
Tetanus	0	1	0	0	1	0
Tuberculosis	29	340	9.7	26	316	9.6
Typhoid fever	9	31	0.9	1	27	0.7
VTEC / STEC infection	8	85	2.4	4	87	2.5
Yersiniosis	53	444	12.5	51	385	11.0

**Notes:** <sup>1</sup> Other notifiable infectious diseases reported in November: Toxic shellfish poisoning

<sup>2</sup> These data are provisional.

<sup>3</sup> Rate is based on the cumulative total for the current year (12 months up to and including November 2006) or the previous year (12 months up to and including November 2005), expressed as cases per 100 000

<sup>4</sup> All Aids data is provisional. Further information is available from the Aids Epidemiology Group, University of Otago.

<sup>5</sup> Cases of gastroenteritis from a common source or foodborne intoxication. Eg: staphylococcal intoxication

<sup>6</sup> Only acute cases of this disease are currently notifiable

<sup>7</sup> Surveillance data based on laboratory-reported cases only (as reported in ESR's Virology Weekly Reports). The monthly total may differ from the Influenza disease section as the latter is based on the date a specimen is taken

<sup>8</sup> These totals and rates are based on the EpiSurv report date as opposed to the earliest available date used in the meningococcal disease section